

FEBRUARY 1, 2010

TK-9020 POLYUREA JOINT FILLER

Product Information Statement for LEED® New Construction (NC) Version 2.2 Credit Documentation

TK-9020 POLYUREA JOINT FILLER is a fast set, two-component urethane/urea hybrid for filling control joints in concrete and may also be used as a crack filler. TK-9020 POLYUREA JOINT FILLER is flexible but tensile enough to hold up to fork lift and wheel traffic. The fast cure allows areas to be re-opened in minimal time.

TK Products certifies the following information for TK-9020 POLYUREA JOINT FILLER:

Manufacturing Location

TK-9020 POLYUREA JOINT FILLER is manufactured in Minnetonka, MN.

Regional Materials

20% by weight of TK-9020 POLYUREA JOINT FILLER was produced with regionally extracted and processed materials.

Recycled Content

TK-9020 POLYUREA JOINT FILLER is manufactured with 6% combined recycled content.

VOC Content

TK Products certifies that the VOC (volatile organic content) of TK-9020 POLYUREA JOINT FILLER is 14g/l.

Based upon the above information, TK Products certifies that TK-9020 POLYUREA JOINT FILLER may contribute to the following LEED NC v2.2 Credits:

- MR Credits 1.1 & 1.2: Building Reuse: Maintain 75% & 95% of Existing Walls, Floors, & Roof
- MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)
- MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured

Respectfully,



LEED Administrator
TK Products
Tel: 800-441-2129

LEED is a trade mark of the US Green Building Council